12.General Diagnostic Table

A: INSPECTION

1. CLUTCH

Symptoms	Possible cause	Corrective action	
1. Clutch slippage.	(a) Oil on the clutch face	Replace.	
It is hard to perceive clutch slippage in	(b) Worn clutch face	Replace.	
the early stage, but pay attention to the	(c) Deteriorated diaphragm spring	Replace.	
following symptoms.	(d) Warped pressure plate or flywheel	Replace.	
Engine speeds up when shifting.High-speed driving is not possible;	(e) Defective release bearing holder	Replace.	
especially rapid acceleration is not	(a) Boloon to release bearing helder	Портаво	
possible and vehicle speed does not			
increase in proportion to the increase in			
engine speed.			
Power drops particularly when			
ascending a slope, and there is a burning smell of the clutch plate.			
Method of testing: Park the vehicle and			
fully apply the parking brake. Disengage			
the clutch and shift the transmission gear			
into the 1st. Gradually increase the			
engine speed while gradually allowing the			
clutch to engage. The clutch function is			
satisfactory if the engine stalls. However, the clutch is slipping if the vehicle does			
not move forward and the engine does			
not stall.			
2. Clutch drags.	(a) Worn or rusty clutch disc hub spline	Replace the clutch disc.	
As a symptom of this problem, a harsh	(b) Excessive deflection of clutch disc	Replace.	
scratching noise occurs and control	face	- F	
becomes difficult when shifting gears.	(c) Seized crankshaft pilot bearing	Replace.	
The symptom becomes more apparent when shifting into the 1st gear. However,	(d) Cracked clutch disc face	Replace.	
because most trouble of this sort is due to	(e) Stuck clutch disc	Replace.	
a defective synchronization mechanism,	(smeared by oil or water)	'	
perform the following tests.			
Method of testing: <ref. cl-31,<="" td="" to=""><td></td><td></td></ref.>			
DIAGNOSTIC DIAGRAM OF CLUTCH			
DRAG, INSPECTION, General Diagnostic Table.>			
The problem is caused by insufficient			
disengagement of the clutch if a noise			
occurs during this test.			
3. Clutch chatters.	(a) Adhesion of oil on the clutch face	Replace the clutch disc.	
Clutch chattering is an unpleasant	(b) Weak or broken torsion spring	Replace the clutch disc.	
vibration to the whole vehicle when the	(c) Poor contact of the disc surface or	Replace the problem clutch disc.	
vehicle is just started with clutch partially engaged.	excessively worn disc		
53.30.0.	(d) Deformed pressure plate or flywheel	Replace.	
	(e) Loose disc rivets	Replace the clutch disc.	
	(f) Loose engine mounting	Retighten or replace mounting.	
	(g) Improper adjustment of the pitching stopper	Adjust.	

Symptoms	Possible cause	Corrective action	
4. Noisy clutch Examine whether the noise is generated when the clutch is disengaged, engaged, or partially engaged.	(a) Broken, worn or insufficiently lubricated release bearing	Replace the release bearing.	
	(b) Insufficient lubrication of the pilot bearing	Replace the pilot bearing.	
	(c) Loose clutch disc hub	Replace the clutch disc.	
	(d) Loose torsion spring retainer	Replace the clutch disc.	
	(e) Deteriorated or broken torsion spring	Replace the clutch disc.	
5. Clutch grabs suddenly. When starting the vehicle with the clutch partially engaged, the clutch engages suddenly and the vehicle jumps instead of making a smooth start.	(a) Grease or oil on facing	Replace the clutch disc.	
	(b) Deteriorated cushioning spring	Replace the clutch disc.	
	(c) Worn or rusted spline of clutch disc or main shaft	Take off rust, apply grease or replace clutch disc or main shaft.	
	(d) Deteriorated or broken torsion spring	Replace the clutch disc.	
	(e) Loose engine mounting	Retighten or replace mounting.	
	(f) Deteriorated diaphragm spring	Replace.	

2. CLUTCH PEDAL

Symptoms	Corrective action	
Insufficient pedal play	Adjust the free play of the pedal.	
Insufficient clutch pedal free play	Adjust the free play of the pedal.	
Excessively worn and damaged pedal shaft and/or bushing	Replace with new bushing or shaft.	

3. DIAGNOSTIC DIAGRAM OF CLUTCH DRAG

	Step	Check	Yes	No
1	CHECK GEAR NOISE. 1) Start the engine. 2) Quickly shift from neutral to reverse when idling.	Is there any abnormal noise from the transmission gear?	Go to step 2.	Clutch is normal.
2	CHECK GEAR NOISE. Depress the clutch pedal when idling and shift from neutral to reverse within 0.5 — 1.0 second.	Is there any abnormal noise from the transmission gear?	Go to step 3.	Defective transmission or excessive clutch drag torque. Inspect Pilot bearing, clutch disc, transmission and clutch disc hub spline.
3	 CHECK GEAR NOISE. 1) Depress the clutch pedal when idling and shift from neutral to reverse within 0.5 — 1.0 second. 2) With the clutch pedal depressed, shift from neutral to reverse, reverse to neutral several times. 	Is there any abnormal noise from the transmission gear?	Inadequate clutch disengage. Inspect the clutch disc, clutch cover, release lever, and clutch pedal free play.	Clutch and flywheel seizure. Inspect the clutch disc and the spline of the clutch disc hub.