

IMPREZA

SPECIFICATIONS

1. Impreza

A: DIMENSIONS

| Model | | Sedan | Wagon | OUTBACK | STi | |
|--------------------------|---------|---------------------------------------|---|---|---|--------------|
| Overall length | mm (in) | 4,415 (173.8) | | | | |
| Overall width | mm (in) | 1,740 (68.4) | 1,695 (66.7) | 1,710 (67.3) | 1,740 (68.1) | |
| Overall height (at C.W.) | mm (in) | 1,440 (56.7) | 1,485 (58.5) | 1,495 (58.9) | 1,430 (56.3) | |
| Compartment | Length | mm (in) | 1,890 (74.4) | 1,845 (72.6) | | 1,890 (74.4) |
| | Width | mm (in) | 1,380 (54.3) | | | |
| | Height | mm (in) | 1,180 (46.5), 1,125 (44.3)* ² | 1,200 (47.2), 1,150 (45.3)* ² | 1,200 (47.2), 1,150 (45.3)* ² | 1,180 (46.5) |
| Wheelbase | mm (in) | 2,525 (99.4) | | | 2,540 (100.0) | |
| Tread | Front | mm (in) | 1,485 (58.5) | 1,465 (57.7) | 1,460 (57.5) | 1,490 (58.7) |
| | Rear | mm (in) | 1,475 (58.1), 1,480 (58.3)* ¹ | 1,455 (57.3) | 1,455 (57.3) | 1,485 (58.5) |
| Minimum road clearance | mm (in) | 150 (5.9), 155 (6.1)* ¹ | 150 (5.9), 155 (6.1)* ¹ | 160 (6.3) | 145 (5.7) | |

*¹: WRX

*²: With sun roof

B: ENGINE

| Model | | Turbo 2.0 L | 2.5 L | STi |
|-------------------------------------|---|-----------------------|----------------------------|-----------------------|
| Engine type | Horizontally opposed, liquid cooled, 4-cylinder, 4-stroke gasoline engine | | | |
| Valve arrangement | Overhead camshaft type | | | |
| Bore × Stroke | mm (in) | 92 × 75 (3.62 × 2.95) | 99.5 × 79 (3.92 × 3.11) | |
| Displacement | cm ³ (cu in) | 1,994 (121.67) | 2,457 (149.9) | |
| Compression ratio | | 8.0±0.2 | 10.0±0.2 | 8.2±0.2 |
| Firing order | | 1 — 3 — 2 — 4 | | |
| Idle speed at Park/Neutral position | rpm | 750±100 | MT: 650±100 AT: 700±100 | 700±100 |
| Maximum output | kW (HP)/rpm | 169 (227)/6,000 | 123 (165)/5,600 | 224 (300)/6,000 |
| Maximum torque | N·m (kgf·m, ft·lb)/rpm | 294 (30.0, 217)/4,000 | 226 (23.0, 166)/4,000 | 407 (41.5, 300)/4,000 |

C: ELECTRICAL

| Model | | Turbo 2.0 L | 2.5 L | STi |
|---------------------------|-------------------------|--|---|-----------------------|
| Ignition timing at idling | BTDC | 12°±10° | MT: 10°±8° AT: 15°±8° | 17°±10° |
| Spark plug | Type and manufacturer | NGK: PFR6G | CHAMPION: RC10YC4 (standard) NGK: BKR5E-11 NGK: BKR6E-11 | NGK: IFLR6B |
| Generator | | 12 V — 75 A | | 12 V — 90 A |
| Battery | Type and capacity (5HR) | MT: 12 V — 48 AH (55D23L) AT: 12 V — 52 AH (65D23L) | MT: 12 V — 48 AH (55D23L) AT: 12 V — 52 AH (75D23L) | 12 V — 48 AH (55D23L) |

D: TRANSMISSION

| Model | | Turbo 2.0 L | | 2.5 L | | STi | |
|------------------------------|--------------------|--------------|---------|---------|-------------------------------|-------------------------------|--------|
| Transmission type | | 5MT | 4AT | 5MT | 4AT | 6MT | |
| Clutch type | | DSPD | TCC | DSPD | TCC | DSPD | |
| Gear ratio | 1st | 3.454 | 2.785 | 3.454 | 2.785, 3.027* ¹ | 3.636 | |
| | 2nd | 1.947 | 1.545 | 2.062 | 1.545, 1.619* ¹ | 2.375 | |
| | 3rd | 1.366 | 1.000 | 1.448 | 1.000 | 1.761 | |
| | 4th | 0.972 | 0.694 | 1.088 | 0.694 | 1.346 | |
| | 5th | 0.738 | — | 0.780 | — | 0.971 | |
| | 6th | — | — | — | — | 0.756 | |
| | Reverse | 3.333 | 2.272 | 3.333 | 2.272 | 3.545 | |
| | Dual range | — | — | — | — | — | |
| Reduction gear (Front drive) | 1st reduction | Type of gear | — | Helical | — | Helical | |
| | | Gear ratio | — | 1.000 | — | 1.000 | |
| | Final reduction | Type of gear | Hypoid | Hypoid | Hypoid | Hypoid | Hypoid |
| | | Gear ratio | 3.900 | 4.111 | 3.900, 4.111* ¹ | 4.111, 4.444* ¹ | 3.900 |
| Reduction gear (Rear drive) | Transfer reduction | Type of gear | Helical | — | Helical | — | |
| | | Gear ratio | 1.100 | — | 1.000 | — | |
| | Final reduction | Type of gear | Hypoid | Hypoid | Hypoid | Hypoid | Hypoid |
| | | Gear ratio | 3.545 | 4.111 | 3.900, 4.111* ¹ | 4.111, 4.444* ¹ | 3.900 |

5MT: 5-forward speeds with synchromesh and 1-reverse

4AT: Electronically controlled fully-automatic, 4-forward speeds and 1-reverse

6MT: 6-forward speeds with synchromesh and 1-reverse

DSPD: Dry Single Plate Diaphragm

TCC: Torque Converter Clutch

*¹: Sedan model

E: STEERING

| Model | | TS | RS, OUTBACK, WRX | STi |
|------------------------|--------------|-----------------|------------------|-----|
| Type | | Rack and Pinion | | |
| Turns, lock to lock | | 3.2 | 3.0 | 2.7 |
| Minimum turning circle | Curb to curb | 10.2 (33.5) | 10.8 (35.4) | |
| | Wall to wall | 11.1 (36.3) | 11.7 (38.3) | |

F: SUSPENSION

| | |
|-------|---|
| Front | Macpherson strut type, Independent, Coil spring |
| Rear | Dual-link type, Independent, Coil spring |

IMPREZA

SPECIFICATIONS

G: BRAKE

| | | |
|----------------------|---|-----------------------|
| Model | Turbo 2.0 L, 2.5 L | STi |
| Service brake system | Dual circuit hydraulic with vacuum suspended power unit | |
| Front | Ventilated disc brake | |
| Rear | Disc brake | Ventilated disc brake |
| Parking brake | Mechanical on rear brakes | |

H: TIRE

| | | | |
|-----------|-------------------------------|---------------------------------------|---------------------------------------|
| Model | TS | RS, OUTBACK, WRX | STi |
| Rim size | 15 × 6JJ | 16 × 6 ¹ / ₂ JJ | 17 × 7 ¹ / ₂ JJ |
| Tire size | P195/60R15 87H | P205/55R16 89V | 225/45R17 90W |
| Type | Steel belted radial, Tubeless | | |

I: CAPACITY

| Model | | Turbo 2.0 L | | 2.5 L | | STi |
|-----------------------------|--|------------------------|----------------|------------------------|----------------|------------------------|
| | | 5MT | 4AT | 5MT | 4AT | 6MT |
| Fuel tank | ℓ (US gal, Imp gal) | 60 (15.9, 13.2) | | | | |
| Engine oil | Total capacity ℓ (US qt, Imp qt) | 4.5 (4.8, 4.0) | | 4.0 (4.2, 3.5) | | 4.5 (4.8, 4.0) |
| | Engine oil amount for refill ℓ (US qt, Imp qt) | Approx. 4.5 (4.8, 4.0) | | Approx. 4.0 (4.2, 3.5) | | Approx. 4.5 (4.8, 4.0) |
| Transmission gear oil | ℓ (US qt, Imp qt) | 3.5 (3.7, 3.1) | — | 3.5 (3.7, 3.1) | — | 4.1 (4.3, 3.6) |
| ATF | ℓ (US qt, Imp qt) | — | 9.3 (9.8, 8.2) | — | 9.3 (9.8, 8.2) | — |
| Front differential gear oil | ℓ (US qt, Imp qt) | — | 1.2 (1.3, 1.1) | — | 1.2 (1.3, 1.1) | — |
| Rear differential gear oil | ℓ (US qt, Imp qt) | 0.8 (0.8, 0.7) | | | | 1.0 (1.1, 0.9) |
| Power steering fluid | ℓ (US qt, Imp qt) | 0.7 (0.7, 0.6) | | | | |
| Engine coolant | ℓ (US qt, Imp qt) | 7.7 (8.1, 6.8) | 7.6 (8.0, 6.7) | 7.0 (7.4, 6.2) | 6.9 (7.3, 6.1) | 7.7 (8.1, 6.8) |

Brought to you by Eris Studios
NOT FOR RESALE

J: WEIGHT

1. FOR U.S. MODEL

Sedan

| Model | | | 2.5 L | | Turbo 2.0L | | |
|----------------------------|-------------------|------------|---------------|---------------|---------------|---------------|---------------|
| | | | RS | | WRX | | |
| | | | 5MT | 4AT | 5MT | | |
| Curb weight (C.W.) | Front | kgf (lb) | 778 (1,715) | 803 (1,770) | 826 (1,820) | 832 (1,834) | 833 (1,836) |
| | Rear | kgf (lb) | 567 (1,250) | 567 (1,250) | 573 (1,265) | 586 (1,292) | 588 (1,297) |
| | Total | kgf (lb) | 1,345 (2,965) | 1,370 (3,020) | 1,399 (3,085) | 1,418 (3,126) | 1,421 (3,133) |
| Gross axle weight (G.A.W.) | Front | kgf (lb) | 939 (2,070) | 939 (2,070) | 998 (2,200) | 998 (2,200) | 998 (2,200) |
| | Rear | kgf (lb) | 907 (2,000) | 907 (2,000) | 916 (2,020) | 916 (2,020) | 916 (2,020) |
| | Total | kgf (lb) | 1,778 (3,920) | 1,778 (3,920) | 1,837 (4,050) | 1,837 (4,050) | 1,837 (4,050) |
| Option | Power window | | ○ | ○ | ○ | ○ | ○ |
| | Power door lock | | ○ | ○ | ○ | ○ | ○ |
| | Cruise control | | ○ | ○ | ○ | ○ | ○ |
| | ABS | | ○ | ○ | ○ | ○ | ○ |
| | Air conditioner | | ○ | ○ | ○ | ○ | ○ |
| | Cold W package | | — | — | — | ○ | ○ |
| | Sun roof | | — | — | — | ○ | ○ |
| | Dual airbag | | ○ | ○ | ○ | ○ | ○ |
| | Side airbag | | — | — | ○ | ○ | ○ |
| | Rear spoiler | | — | — | — | ○ | ○ |
| | Seat in pure hide | | — | — | — | — | ○ |
| | Front LSD | | — | — | — | — | — |
| | Aluminum wheel | Gold color | — | — | — | — | — |
| Silver color | | — | — | — | — | — | |

| Model | | | Turbo 2.0 L | | | Turbo 2.5 L | |
|----------------------------|-------------------|------------|---------------|---------------|---------------|---------------|---------------|
| | | | WRX | | | STi | |
| | | | 4AT | | | 6MT | |
| Curb weight (C.W.) | Front | kgf (lb) | 850 (1,875) | 857 (1,889) | 858 (1,891) | 863 (1,903) | 863 (1,903) |
| | Rear | kgf (lb) | 574 (1,265) | 586 (1,292) | 588 (1,297) | 613 (1,351) | 613 (1,351) |
| | Total | kgf (lb) | 1,424 (3,140) | 1,443 (3,181) | 1,446 (3,188) | 1,476 (3,254) | 1,476 (3,254) |
| Gross axle weight (G.A.W.) | Front | kgf (lb) | 998 (2,200) | 998 (2,200) | 998 (2,200) | 1,030 (2,271) | 1,030 (2,271) |
| | Rear | kgf (lb) | 916 (2,020) | 916 (2,020) | 916 (2,020) | 920 (2,028) | 920 (2,028) |
| | Total | kgf (lb) | 1,837 (4,050) | 1,837 (4,050) | 1,837 (4,050) | 1,880 (4,145) | 1,880 (4,145) |
| Option | Power window | | ○ | ○ | ○ | ○ | ○ |
| | Power door lock | | ○ | ○ | ○ | ○ | ○ |
| | Cruise control | | ○ | ○ | ○ | ○ | ○ |
| | ABS | | ○ | ○ | ○ | ○ | ○ |
| | Air conditioner | | ○ | ○ | ○ | ○ | ○ |
| | Cold W package | | — | ○ | ○ | — | — |
| | Sun roof | | — | ○ | ○ | — | — |
| | Dual airbag | | ○ | ○ | ○ | ○ | ○ |
| | Side airbag | | ○ | ○ | ○ | ○ | ○ |
| | Rear spoiler | | — | ○ | ○ | — | — |
| | Seat in pure hide | | — | — | ○ | — | — |
| | Front LSD | | — | — | — | ○ | ○ |
| | Aluminum wheel | Gold color | — | — | — | ○ | — |
| Silver color | | — | — | — | — | ○ | |

IMPREZA

SPECIFICATIONS

Wagon

| Model | | | 2.5 L | | 2.5 L | |
|----------------------------|-------------------|----------|---------------|---------------|---------------|---------------|
| | | | TS | | OUTBACK | |
| | | | 5MT | 4AT | 5MT | 4AT |
| Curb weight (C.W.) | Front | kgf (lb) | 778 (1,715) | 801 (1,765) | 783 (1,725) | 805 (1,775) |
| | Rear | kgf (lb) | 603 (1,330) | 605 (1,335) | 601 (1,325) | 603 (1,330) |
| | Total | kgf (lb) | 1,381 (3,045) | 1,406 (3,100) | 1,384 (3,050) | 1,408 (3,105) |
| Gross axle weight (G.A.W.) | Front | kgf (lb) | 939 (2,070) | 939 (2,070) | 939 (2,070) | 939 (2,070) |
| | Rear | kgf (lb) | 953 (2,100) | 953 (2,100) | 953 (2,100) | 953 (2,100) |
| | Total | kgf (lb) | 1,833 (4,040) | 1,833 (4,040) | 1,833 (4,040) | 1,833 (4,040) |
| Option | Power window | | ○ | ○ | ○ | ○ |
| | Power door lock | | ○ | ○ | ○ | ○ |
| | Cruise control | | ○ | ○ | ○ | ○ |
| | ABS | | ○ | ○ | ○ | ○ |
| | Air conditioner | | ○ | ○ | ○ | ○ |
| | Cold W package | | — | — | — | — |
| | Sun roof | | — | — | — | — |
| | Dual airbag | | ○ | ○ | ○ | ○ |
| | Side airbag | | — | — | — | — |
| | Rear spoiler | | — | — | — | — |
| | Seat in pure hide | | — | — | — | — |
| | Roof rail | | ○ | ○ | ○ | ○ |

| Model | | | Turbo 2.0 L | | | |
|----------------------------|-------------------|----------|---------------|---------------|---------------|---------------|
| | | | WRX | | | |
| | | | 5MT | | 4AT | |
| Curb weight (C.W.) | Front | kgf (lb) | 826 (1,820) | 826 (1,820) | 851 (1,875) | 851 (1,875) |
| | Rear | kgf (lb) | 610 (1,345) | 610 (1,345) | 610 (1,345) | 610 (1,345) |
| | Total | kgf (lb) | 1,436 (3,165) | 1,436 (3,165) | 1,461 (3,220) | 1,461 (3,220) |
| Gross axle weight (G.A.W.) | Front | kgf (lb) | 998 (2,200) | 998 (2,200) | 998 (2,200) | 998 (2,200) |
| | Rear | kgf (lb) | 953 (2,100) | 953 (2,100) | 953 (2,100) | 953 (2,100) |
| | Total | kgf (lb) | 1,901 (4,190) | 1,901 (4,190) | 1,901 (4,190) | 1,901 (4,190) |
| Option | Power window | | ○ | ○ | ○ | ○ |
| | Power door lock | | ○ | ○ | ○ | ○ |
| | Cruise control | | ○ | ○ | ○ | ○ |
| | ABS | | ○ | ○ | ○ | ○ |
| | Air conditioner | | ○ | ○ | ○ | ○ |
| | Cold W package | | — | ○ | ○ | — |
| | Sun roof | | — | — | — | — |
| | Dual airbag | | ○ | ○ | ○ | ○ |
| | Side airbag | | ○ | ○ | ○ | ○ |
| | Rear spoiler | | — | — | — | — |
| | Seat in pure hide | | — | — | — | — |
| | Roof rail | | ○ | ○ | ○ | ○ |

Brought to you by Eris Studios
NOT FOR RESALE

2. FOR CANADA MODEL

Sedan

| Model | | | 2.5 L | | Turbo 2.0 L | | | |
|----------------------------|-------------------|--------------|---------------|---------------|---------------|---------------|---------------|---|
| | | | RS | | WRX | | | |
| | | | 5MT | 4AT | 5MT | | | |
| Curb weight (C.W.) | Front | kgf (lb) | 780 (1,720) | 805 (1,775) | 825 (1,820) | 832 (1,834) | 833 (1,836) | |
| | Rear | kgf (lb) | 570 (1,256) | 570 (1,256) | 576 (1,270) | 586 (1,292) | 588 (1,297) | |
| | Total | kgf (lb) | 1,350 (2,976) | 1,375 (3,031) | 1,401 (3,090) | 1,418 (3,126) | 1,421 (3,133) | |
| Gross axle weight (G.A.W.) | Front | kgf (lb) | 939 (2,070) | 939 (2,070) | 998 (2,200) | 998 (2,200) | 998 (2,200) | |
| | Rear | kgf (lb) | 907 (2,000) | 907 (2,000) | 916 (2,020) | 916 (2,020) | 916 (2,020) | |
| | Total | kgf (lb) | 1,778 (3,920) | 1,778 (3,920) | 1,837 (4,050) | 1,837 (4,050) | 1,837 (4,050) | |
| Option | Power window | | ○ | ○ | ○ | ○ | ○ | |
| | Power door lock | | ○ | ○ | ○ | ○ | ○ | |
| | Cruise control | | ○ | ○ | ○ | ○ | ○ | |
| | ABS | | ○ | ○ | ○ | ○ | ○ | |
| | Air conditioner | | ○ | ○ | ○ | ○ | ○ | |
| | Cold W package | | — | — | — | — | — | |
| | Sun roof | | — | — | — | ○ | ○ | |
| | Dual airbag | | ○ | ○ | ○ | ○ | ○ | |
| | Side airbag | | — | — | ○ | ○ | ○ | |
| | Rear spoiler | | ○ | ○ | ○ | ○ | ○ | |
| | Seat in pure hide | | — | — | — | — | ○ | |
| | Front LSD | | — | — | — | — | — | |
| | Aluminum wheel | Gold color | | — | — | — | — | — |
| | | Silver color | | — | — | — | — | — |

| Model | | | Turbo 2.0 L | | | Turbo 2.5 L | | |
|----------------------------|-------------------|--------------|---------------|---------------|---------------|---------------|---------------|---|
| | | | WRX | | | STi | | |
| | | | 4AT | | | 6MT | | |
| Curb weight (C.W.) | Front | kgf (lb) | 851 (1,875) | 857 (1,889) | 858 (1,891) | 866 (1,909) | 866 (1,909) | |
| | Rear | kgf (lb) | 576 (1,270) | 586 (1,292) | 588 (1,297) | 618 (1,363) | 618 (1,363) | |
| | Total | kgf (lb) | 1,427 (3,145) | 1,443 (3,181) | 1,446 (3,188) | 1,484 (3,272) | 1,484 (3,272) | |
| Gross axle weight (G.A.W.) | Front | kgf (lb) | 998 (2,200) | 998 (2,200) | 998 (2,200) | 1,030 (2,271) | 1,030 (2,271) | |
| | Rear | kgf (lb) | 916 (2,020) | 916 (2,020) | 916 (2,020) | 920 (2,028) | 920 (2,028) | |
| | Total | kgf (lb) | 1,837 (4,050) | 1,837 (4,050) | 1,837 (4,050) | 1,880 (4,145) | 1,880 (4,145) | |
| Option | Power window | | ○ | ○ | ○ | ○ | ○ | |
| | Power door lock | | ○ | ○ | ○ | ○ | ○ | |
| | Cruise control | | ○ | ○ | ○ | ○ | ○ | |
| | ABS | | ○ | ○ | ○ | ○ | ○ | |
| | Air conditioner | | ○ | ○ | ○ | ○ | ○ | |
| | Cold W package | | — | — | — | — | — | |
| | Sun roof | | — | ○ | ○ | — | — | |
| | Dual airbag | | ○ | ○ | ○ | ○ | ○ | |
| | Side airbag | | ○ | ○ | ○ | ○ | ○ | |
| | Rear spoiler | | ○ | ○ | ○ | — | — | |
| | Seat in pure hide | | — | — | ○ | — | — | |
| | Front LSD | | — | — | — | ○ | ○ | |
| | Aluminum wheel | Gold color | | — | — | — | ○ | — |
| | | Silver color | | — | — | — | — | ○ |

IMPREZA

SPECIFICATIONS

Wagon

| Model | | | 2.5 L | | 2.5 L | |
|----------------------------|-------------------|----------|---------------|---------------|---------------|---------------|
| | | | TS | | OUTBACK | |
| | | | 5MT | 4AT | 5MT | 4AT |
| Curb weight (C.W.) | Front | kgf (lb) | 778 (1,715) | 801 (1,765) | 783 (1,725) | 805 (1,775) |
| | Rear | kgf (lb) | 603 (1,330) | 605 (1,335) | 601 (1,325) | 603 (1,330) |
| | Total | kgf (lb) | 1,381 (3,045) | 1,406 (3,100) | 1,384 (3,050) | 1,408 (3,105) |
| Gross axle weight (G.A.W.) | Front | kgf (lb) | 939 (2,070) | 939 (2,070) | 939 (2,070) | 939 (2,070) |
| | Rear | kgf (lb) | 953 (2,100) | 953 (2,100) | 953 (2,100) | 953 (2,100) |
| | Total | kgf (lb) | 1,833 (4,040) | 1,833 (4,040) | 1,833 (4,040) | 1,833 (4,040) |
| Option | Power window | | ○ | ○ | ○ | ○ |
| | Power door lock | | ○ | ○ | ○ | ○ |
| | Cruise control | | ○ | ○ | ○ | ○ |
| | ABS | | ○ | ○ | ○ | ○ |
| | Air conditioner | | ○ | ○ | ○ | ○ |
| | Cold W package | | — | — | — | — |
| | Sun roof | | — | — | — | — |
| | Dual airbag | | ○ | ○ | ○ | ○ |
| | Side airbag | | — | — | — | — |
| | Rear spoiler | | — | — | — | — |
| | Seat in pure hide | | — | — | — | — |
| | Roof rail | | ○ | ○ | ○ | ○ |

| Model | | | Turbo 2.0 L | | | |
|----------------------------|-------------------|----------|---------------|---------------|---------------|---------------|
| | | | WRX | | | |
| | | | 5MT | | 4AT | |
| Curb weight (C.W.) | Front | kgf (lb) | 826 (1,820) | 832 (1,834) | 833 (1,836) | 851 (1,875) |
| | Rear | kgf (lb) | 610 (1,345) | 620 (1,367) | 622 (1,372) | 610 (1,345) |
| | Total | kgf (lb) | 1,436 (3,165) | 1,452 (3,201) | 1,455 (3,208) | 1,461 (3,220) |
| Gross axle weight (G.A.W.) | Front | kgf (lb) | 998 (2,200) | 998 (2,200) | 998 (2,200) | 998 (2,200) |
| | Rear | kgf (lb) | 953 (2,100) | 953 (2,100) | 953 (2,100) | 953 (2,100) |
| | Total | kgf (lb) | 1,901 (4,190) | 1,901 (4,190) | 1,901 (4,190) | 1,901 (4,190) |
| Option | Power window | | ○ | ○ | ○ | ○ |
| | Power door lock | | ○ | ○ | ○ | ○ |
| | Cruise control | | ○ | ○ | ○ | ○ |
| | ABS | | ○ | ○ | ○ | ○ |
| | Air conditioner | | ○ | ○ | ○ | ○ |
| | Cold W package | | — | — | — | — |
| | Sun roof | | — | ○ | ○ | — |
| | Dual airbag | | ○ | ○ | ○ | ○ |
| | Side airbag | | ○ | ○ | ○ | ○ |
| | Rear spoiler | | — | — | — | — |
| | Seat in pure hide | | — | — | ○ | — |
| | Roof rail | | ○ | ○ | ○ | ○ |